



**SECTION V - FIRST AID MEASURES**

**ROUTES OF ENTRY:** Inhalation, skin and ingestion. (*Do not ingest*)

**EFFECTS OF OVEREXPOSURE: (Acute)** Dizziness, nausea and loss of co-ordination.  
**(Chronic)** Prolonged exposure over OSHA limits may result in mild liver disorder. Signs of exposure are: Drying of skin, eye irritation, headache, dizziness, nausea.

**EMERGENCY FIRST AID PROCEDURES:**

**Eyes:** Flush eyes well with clear water for 15 minutes, or until irritation subsides.

**Skin:** Remove contaminated clothing, wash skin thoroughly with water and soap.

**Inhalation:** Move victim to well ventilated area.

**Ingestion:** If conscious, have victim drink at least 16 oz. Of milk or water.

***Do not induce vomiting. Obtain immediate medical assistance!***

**SECTION VI - STABILITY & REACTIVITY**

**STABILITY:** Stable

**CONDITIONS TO AVOID:** Avoid open flames, hot glowing surfaces or electrical arcs.

**INCOMPATIBILITY:** Avoid contamination with caustic soda, caustic potash, or oxidizing agents.

**HAZARDOUS DECOMPOSITION:** Hydrogen chloride and possible traces of phosgene.

**HAZARDOUS POLYMERIZATION:** Will not occur.

**SECTION VII - ACCIDENTAL RELEASE MEASURES**

**MATERIAL RELEASED OR SPILLED:** Use sawdust or vermiculite to dike and absorb spilled material. Notify proper authorities if chemicals enter sewers, waterways, or extensive land areas.

**WASTE DISPOSAL METHOD:** Ensure conformity with federal, state and local disposal regulations by disposing in an approved site.

**SECTION VIII - SAFE HANDLING**

**HANDLING:** Follow recommendations on label. Use good industrial hygiene practices. Avoid prolonged contact with white metals (i.e. aluminum and lead).

**RESPIRATORY PROTECTION:** Avoid prolonged breathing of vapors without using approved respiratory protection.

**VENTILATION:** Provide adequate ventilation. Do not use product in confined areas.

**PROTECTIVE EQUIPMENT:** Use chemical resistant gloves, aprons or impervious clothing to prevent prolonged skin exposure. Splash goggles are recommended for eye protection.

**STORAGE:** Store in cool ventilated areas away from excessive heat and sources of ignition. Avoid storage near strong oxidants. Keep container tightly closed when not in use.

**SECTION IX - OTHER**

Use of equipment must be in accordance with 29cer 1910.133 and 1910.134.

The above information and recommendations are believed accurate and reliable. Because it is not possible to anticipate all conditions of use, additional safety precautions may be required.