

Section 1: Information

Product Name	Ox-Gard Anti-oxidant Compound 4 oz; 1/Cd 12Cds/Master	
Product Code(s)	OX-400N	
Recommended Usage	Lubricants, Greases and Release Products, Sealant	
Manufacturer/Distributor	ECM Industries, LLC. (dba Gardner Bender)	
Address	16250 W Woods Edge Rd	
	New Berlin, WI 53151	
Website	www.ecmindustries.com	
Telephone Number	1-800-624-4320	
EMERGENCY Telephone Number	Chemtrec: (24/7) 800-424-9300 Or International 703-527-3887	

Section 2: Hazard Identification

Classification of the substance or mixture			This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).				
GHS Labe	el Elements				-		
Sign	al Word			None	None		
				•	ntains no substances which at their		
Haza	ard Statement			_	ition are considered to be		
				hazardous to he	ealth		
Precaution	onary Statements						
Prevention			None				
Response			None				
Storage			None				
Disposal			None				
Hazards	Not Otherwise Clas	sified		Not Applicable			
				Very toxic to aquatic life with long lasting effects;			
Other Information			6.7% of the mixture consists of ingredient(s) of				
			unknown toxicity.				
NFPA	Health Hazard: 1	Flammability: 1	Ins	stability: 0 Physical & Chemical Hazard:			
HMIS Health Hazard: 1 Flammability: 1 Phy		ysical Hazard: 0	Personal Protection: X				

Section 3 - Composition/Information on Ingredients

Substance / Mixture		Mixture	Mixture	
Chemical Name	CAS Number	Weight %	Trade Secret	
Zinc (powder)	7440-66-6	10 - 15	*	
Talc	14807-96-6	5 – 10	*	
Graphite	7782-42-5	1 - 5	*	
*The exact percentage (concentration) of composition has been withheld as a trade secret.				



Section 4: First-Aid Measures

Descriptions of Fir	est Aid Measures		
General Advice	Show this safety data sheet to the doctor in attendance.		
Inhalation	Move to fresh air. If not breathing, give artificial respiration. Avoid direct contact		
IIIIaiauuii	with skin. Use barrier to give mouth-to-mouth resuscitation. Consult a physician.		
Skin	Wash off immediately with soap and plenty of water. Remove and wash		
SKIII	contaminated clothing before re-use.		
	Immediately flush with plenty of water. After initial flushing, remove any contact		
Eye	lenses and continue flushing for at least 15 minutes. If symptoms persist, call a		
	physician.		
	Clean mouth with water and afterwards drink plenty of water. Do NOT induce		
Ingestion	vomiting. Never give anything by mouth to an unconscious person. Consult a		
	physician if necessary		
	Use personal protective equipment. Avoid contact with skin, eyes and clothing.		
Protection of	Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.		
First-aiders	Ensure that medical personnel are aware of the material(s) involved, and take		
	precautions to protect themselves.		
Most Important Symptoms/Effects (Acute & Delayed) Potential Health Effects			
Most Important Symptoms/Effects No information available.			
Indication of Immediate Medical Attention & Special Treatment Needed, If Necessary			
Note To Physician			

Section 5: Fire-Fighting Measures

Extinguishing Media		
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local	
Suitable Extinguishing Media	circumstances and the surrounding environment.	
	Dousing metallic fires with water may generate hydrogen gas, an	
Unsuitable Extinguishing Media	extremely dangerous explosion hazard, particularly if fire is in a	
	confined environment (i.e., building, cargo hold, etc.)	

Special hazards arising from the substance or mixture		
Specific Hazards Arising from the Chemical	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	
Explosion Data: Sensitivity to Mechanical Impact	None	
Explosion Data: Sensitivity to Static Discharge	None	
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.	



Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures		
Personnel Precautions	Use personal protective equipment. Keep people	
1 ersonner i recautions	away from and upwind of spill/leak.	
Environmental Precautions	Do not allow material to contaminate ground water	
	system. Prevent further leakage or spillage if safe to	
	do so. Avoid release to the environment. See	
	Section 12 for additional Ecological Information.	
Methods for Containment	Prevent further leakage or spillage if safe to do so.	
	Small spillage: Soak up with inert absorbent	
	material. Pick up and transfer to properly labeled	
Methods for Cleaning Up	containers. Large spillage: Dike far ahead of liquid	
	spill for later disposal. Take up mechanically and	
	collect in suitable container for disposal.	

Section 7 - Handling and Storage

Conditions for safe storage, including any incompatibilities		
Precautions for safe handling	Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.	
Storage	Keep containers tightly closed in a dry, cool and wellventilated place. Keep out of the reach of children.	
Incompatible Products	Acids. Oxidizing agents.	

Section 8 - Exposure Controls/Personal Protection

Control parameters				
Exposure Guidelines				
Chemical Name	Chemical Name ACGIH TLV OSHA PEL NIOSH IDLH			
Talc (14807-96-6)	TWA: 2 mg/m3	(vacated) TWA: 2 mg/m3	IDLH: 1000 mg/m3 contains no asbestos and <1% quartz TWA: 2 mg/m3	



Graphite (7782-42-5)		TWA: 15 mg/m3 total dust synthetic TWA: 5 mg/m3 total dust synthetic (vacated) TWA: 2.5 mg/m3 respirable dust natural (vacated) TWA: 10 mg/m3 total dust synthetic (vacated) TWA: 5 mg/m3 respirable fraction synthetic TWA: 15 mppcf natural		
Appropriate Engi Controls	ineering	Showers Eyewash static Ventilation sys		
Individual Protection				
Hygiene Measures		Handle in accorda and safety practice	nce with good industrial hygiene e.	
Eye/Face Pr	otection		Safety glasses with side-shields.	
Skin & Body Protections		Impervious clothing. Nitrile gloves.		
Respiratory Protection		use conditions. If e irritation is experi respiratory protec	ipment is needed under normal exposure limits are exceeded or lenced, NIOSH/MSHA approved etion should be worn. In case of ation wear suitable respiratory	

Section 9 - Physical and Chemical Properties

Information on Physical a	Information on Physical and Chemical Properties			
Appearance (physical state, color)	Semi Solid; Gray	Flash Point	>221 C	
Odor	Petroleum Like	Vapor Density	N/A	
Odor Threshold	N/A	Specific Gravity	1.37	
рН	Neutral	Relative Density		
Melting Point/	>138 C / 280.4 F	Solubility in Water	Negligible	
Freezing Point	N/A	Solubility in Water	Negligible	
Volatiles by Wt. (%):	N/A	Partition coefficient: n-octanol/water	N/A	
Flammability (solid, gas)	N/A	Auto-ignition temperature	N/A	
Evaporation Rate	N/A	Decomposition temperature	N/A	
Viscosity	N/A			



Section 10: Stability and Reactivity

Reactivity	No data available.
Chemical Stability Stable under recommended storage conditions.	
Dossibility of Hazardous Doostions	Mixture reacts slowly with water resulting in evolution of
Possibility of Hazardous Reactions	hydrogen
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to Avoid Incompatible products.	
Incompatible Materials Acids. Oxidizing agents.	
Hazardous Decomposition Products	None known based on information supplied.

Section 11 - Toxicological Information

Information on Toxicological Effects				
Acute Toxicity		6.7% of the mixture consists of ingredient(s) of unknown toxicity.		
LD50 Oral		5575 mg/kg; Acute toxicity estimate		
Information on The Likely Routes o				
INOACTION -		route of exposure. Ingestion may cause rritation, nausea, vomiting and diarrhea.		
Potential Chronic Health Effects				
Carcinogenicity	Contains no ingredients above reportable quantities listed as a carcinogen.			
Mutagenicity	No information available.			
Teratogenicity	No information available.			
Developmental Effects	No information available.			
Fertility Effects	No information available.			

Section 12 - Ecological Information

Chemical	Toxicity to Algae	Toxicity to Fish	Daphnia Magna
Name			(Water Flea)
Zinc (powder) 7440-66-6	EC50 72 h: 0.09 - 0.125 mg/L static (Pseudokirchneriella subcapitata) EC50 96 h: 0.11 - 0.271 mg/L static (Pseudokirchneriella subcapitata)	LC50 96 h: 0.211-0.269 mg/L semi- static (Pimephales promelas) LC50 96 h: 2.16-3.05 mg/L flow- through (Pimephales promelas) LC50 96 h: = 0.24 mg/L flow-through (Oncorhynchus mykiss) LC50 96 h: = 0.41 mg/L static (Oncorhynchus mykiss) LC50 96 h: = 0.45 mg/L semi-static	EC50 48 h: 0.139 - 0.908 mg/L Static (Daphnia magna)
		(Cyprinus carpio) LC50 96 h: = 0.59 mg/L semi-static (Oncorhynchus mykiss)	



		LC50 96 h: = 2.66 mg/L static (Pimephales promelas) LC50 96 h: = 3.5 mg/L static (Lepomis macrochirus) LC50 96 h: = 30 mg/L (Cyprinus carpio) LC50 96 h: = 7.8 mg/L static (Cyprinus carpio)	
Talc 14807-96-6		LC50 96 h: > 100 g/L semi-static (Brachydanio rerio)	
Persistence and	Degradability	No information available.	
Bioaccumulativ	e Potential	No information available.	
Other Adverse l	Effects	No information available.	

Section 13 - Disposal Considerations

Waste Disposal Methods	Dispose of in accordance with federal, state, and local regulations
Contaminated Packaging	Do not re-use empty containers.

Section 14 - Transport Information

DOT	Not regulated		
TDG			
	UN-Number	UN3082	
	Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.	
	Hazard Class	9	
	Packing Group	III	
	Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc	
		(powder)), 9, III	
MEX			
	UN-Number	UN3082	
	Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.	
	Hazard Class	9	
	Packing Group	III	
	Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc	
		(powder)), 9, III	
ICAO			
	UN-Number	UN3082	
	Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.	
	Hazard Class	9	
	Packing Group	III	
	Description	UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III	



IATA		
IAIA	UN-Number	UN3082
	Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
	Hazard Class	9
	Packing Group	III
	Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc
	Description	(powder)), 9, III
IMDG	/IMP	(powder)), 5, 111
IIID G	UN-Number	UN3082
	Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
	Hazard Class	9
	Packing Group	III
	EmS No.	F-A, S-F
	Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc
		(powder)), 9, III
RID		
	UN-Number	UN3082
	Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
	Hazard Class	9
	Packing Group	III
	Classification Code	M6
	Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc
	-	(powder)), 9, III
ADR		
	UN-Number	UN3082
	Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
	Hazard Class	9
	Packing Group	III
	Classification Code	M6
	Tunnel Restriction	(E)
	Code	
	Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc
		(powder)), 9, III
	ADR/RID Labels	0
ADN		
	Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
	Hazard Class	9
	Packing Group	
	Classification Code	M6
	Special Provisions	274, 335, 601
	Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc
		(powder)), 9, III



Limited Quar	ntity	5 L

Section 15 - Regulatory Information

U.S. Federal Regulations								
SARA 313								
Chemical Name		CAS – No	0	1	Weight %		Threshold Value %	
Zinc (Powder)	7	440-66	-6		10 - 15			1.0
SARA 311/312 Hazard C	ategorie	S						
Acute Health Haza	ard			No				
Chronic Health Ha	azard			No				
Fire Hazard				No				
Sudden Release o	f Pressu	re Haza	rd	No				
Reactive Hazard				No				
Clean Water Act								
Chemical Name			Toxic Pol	lutants		Priority Pollutants		
Zinc (Powder)			X			X		
CERCLA								
Chemical Name Hazardous			ardous Sub	bstances RQs RQ			Q	
Zinc (Powder)		1000 Lb.		RQ 454 kg final RQ RQ 1000 lb final RQ				
California Proposition 6	5		This product does not contain any Proposition 65 chemicals.					
U.S. State Right-to-Know	Regulat	ions (X"	designates	that th	e ingredie	ents are	listed)	
Chemical Name	New J	ersey	Massach	usetts Pennsy		vania	Illinois	Rhode Island
Zinc (Powder)	X		X		X			X
Graphite	X		X		X			X
Talc	X		X		X			X
Calcium Oxide	alcium Oxide X		X	X		X		
EPA Pesticide Registration Number		Not applic	cable					



Section 16 - Other Information

Last Revision Date:	07/02/2015
Preparation Date:	07/07/2015
Disclaimer/Statement of Liability:	The information contained herein is believed to be accurate but is
	not warranted to be so. Data and calculations are based on
	information furnished by the manufacturer of the product and
	manufacturers of the components of the product. Users are
	advised to confirm in advance of need that information is current,
	applicable and suited to the circumstance of use. Vendor assumes
	no responsibility for injury to vendee or third persons proximately
	caused by the material if reasonable safety procedures are not
	adhered to as stipulated in the data sheet. Furthermore, vendor
	assumes no responsibility for injury caused by abnormal use of
	this material even if reasonable safety procedures are followed.
	Any questions regarding this product should be directed to the
	manufacturer of the product as described in Section 1.

Key to abbre	eviations		
ACGIH	American Conference of Governmental Industrial	TWA	Time-Weighted Averages are based on 8h/day, 40h/week
	Hygiene		exposures
NIOSH	National Institute of Occupational Safety and	STEL	Short Term Exposure Limits are based on 15-minute
	Health		exposures
OSHA	Occupational Safety and Health Administration	STEV	Short Term Exposure Value
MSHA	Mine Safety and Health Administration	TWAEV	Time Weighted Average Exposure Values
MARPOL	International Convention for the Prevention of	IBC Code	International Bulk Chemical Code
73/78	Pollution from Ships,		
	1973, as modified by the Protocol of 1978		
	relating thereto, as amended.		
IMDG	International	CEPA	Canadian Environmental Protection Act
	Maritime Dangerous Goods		
WHMIS	Workplace Hazardous Materials Information	CERCLA	Comprehensive Environmental Response, Compensation,
	System		and Liability Act
SARA	Superfund Amendments and Reauthorization Act	TPQs	Threshold Planning Quantities
EPCRA RQ	Emergency Planning & Community Right-to-	PBT	Persistent Bioaccumulative Toxic
	Know Act Reportable Quantities		
N/A	Not Applicable	NDA	Not Data Available