

#### **Section 1: Information**

Product Name	Ox-Gard Anti-Oxidant Compound
Product Code(s)	OX-800
Recommended Usage	Lubricants, Greases and Release Products, Sealant
Manufacturer/Distributor	ECM Industries, LLC. (dba Gardner Bender)
Address	16250 W Woods Edge Rd New
	Berlin, WI 53151
Website	www.ecmindustries.com
Telephone Number	1-800-624-4320
EMERGENCY Telephone Number	Chemtrec: (24/7) 800-424-9300 Or International 703-527-3887

### **Section 2: Hazard Identification**

		This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).			
GHS Labe	el Elements			Stalluaru 2012	(29 CFK 1910.1200).
	al Word			None	
Hazard Statement		The product contains no substances which at their given concentration are considered to be hazardous to health			
Precauti	onary Statements			·	
Prevention		None			
Response		None			
Storage				None	
Disposal			None		
Hazards	Not Otherwise Clas	sified		Not Applicable	
Other Information		Very toxic to aquatic life with long lasting effects; 6.7% of the mixture consists of ingredient(s) of unknown toxicity.			
NFPA	Health Hazard: 1	Flammability: 1	Ins	tability: 0	Physical & Chemical Hazard: -
HMIS	MIS Health Hazard: 1 Flammability: 1 Phy		ysical Hazard: 0 Personal Protection: X		

# Section 3 – Composition/Information on Ingredients

Substance / Mixture		Mixture	Mixture	
Chemical Name	<b>CAS Number</b>	Weight %	Trade Secret	
Zinc (powder)	7440-66-6	10 – 15	*	
Talc	14807-96-6	5 - 10	*	
Graphite 7782-42-5 1 - 5 *				
*The exact percentage (concentration) of composition has been withheld as a trade secret.				



<b>Descriptions of Fir</b>	Descriptions of First Aid Measures			
<b>General Advice</b>	Show this safety data sheet to the doctor in attendance.			
Inhalation	Move to fresh air. If not breathing, give artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Consult a physician.			
Skin	Wash off immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use.			
Еуе	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If symptoms persist, call a physician.			
Ingestion	Clean mouth with water and afterwards drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary			
Protection of First-aiders	Use personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.			
Most Important Symptoms/Effects (Acute & Delayed) Potential Health Effects				
Most Important Symptoms/Effects No information available.				
Indication of Immediate Medical Attention & Special Treatment Needed, If Necessary				
Note To Physician Treat symptomatically.				

#### **Section 4: First-Aid Measures**

## **Section 5: Fire-Fighting Measures**

Extinguishing Media		
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local	
Suitable Extinguishing Meula	circumstances and the surrounding environment.	
	Dousing metallic fires with water may generate hydrogen gas, an	
Unsuitable Extinguishing Media	extremely dangerous explosion hazard, particularly if fire is in a	
	confined environment (i.e., building, cargo hold, etc.)	

Special hazards arising from the substance or mixture		
Specific Hazards Arising from the Chemical	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	
Explosion Data: Sensitivity to Mechanical Impact	None	
Explosion Data: Sensitivity to Static Discharge	None	
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.	



### **Section 6 - Accidental Release Measures**

Personal precautions, protective equipment and emergency procedures		
Personnel Precautions	Use personal protective equipment. Keep people	
	away from and upwind of spill/leak.	
	Do not allow material to contaminate ground water	
Environmental Precautions	system. Prevent further leakage or spillage if safe to	
Environmental Frecautions	do so. Avoid release to the environment. See	
	Section 12 for additional Ecological Information.	
Methods for Containment	Prevent further leakage or spillage if safe to do so.	
	Small spillage: Soak up with inert absorbent	
	material. Pick up and transfer to properly labeled	
Methods for Cleaning Up	containers. Large spillage: Dike far ahead of liquid	
	spill for later disposal. Take up mechanically and	
	collect in suitable container for disposal.	

## Section 7 - Handling and Storage

Conditions for safe storage, including any incompatibilities		
	Avoid contact with skin, eyes and clothing. Wear personal	
	protective equipment. Remove and wash contaminated	
Precautions for safe handling	clothing before re-use. Do not breathe vapors or spray mist. Do	
	not eat, drink or smoke when using this product. Wash	
	thoroughly after handling.	
Storago	Keep containers tightly closed in a dry, cool and well-	
Storage	ventilated place. Keep out of the reach of children.	
Incompatible Products	Acids. Oxidizing agents.	

## Section 8 - Exposure Controls/Personal Protection

Control parameters				
Exposure Guidelines				
<b>Chemical Name</b>	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Talc (14807-96-6)	TWA: 2 mg/m3	(vacated) TWA: 2 mg/m3	IDLH: 1000 mg/m3 contains no asbestos and <1% quartz TWA: 2 mg/m3	



Respiratory Protection		No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. In case of insufficient ventilation wear suitable respiratory equipment.		
Skin & Body Prot	Skin & Body Protections		Impervious clothing. Nitrile gloves.	
Eye/Face Protection		Safety glasses with side-shields.		
Hygiene Measures		Handle in accordance with good industrial hygiene and safety practice.		
Individual Protection				
Appropriate Eng Controls	te Engineering Eyewash station Ventilation syst			
Graphite (7782-42-5)		TWA: 15 mg/m3 total dust synthetic TWA: 5 mg/m3 total dust synthetic (vacated) TWA: 2.5 mg/m3 respirable dust natural (vacated) TWA: 10 mg/m3 total dust synthetic (vacated) TWA: 5 mg/m3 respirable fraction synthetic TWA: 15 mppcf natural		IDLH: 1250 mg/m3 TWA: 2.5 mg/m3 respirable dust

## Section 9 - Physical and Chemical Properties

Information on Physical a	Information on Physical and Chemical Properties			
Appearance (physical state, color)	Semi Solid; Gray	Flash Point	>221 C	
Odor	Petroleum Like	Vapor Density	N/A	
Odor Threshold	N/A	Specific Gravity	1.37	
рН	Neutral	Relative Density		
Melting Point/ Freezing Point	>138 C / 280.4 F N/A	Solubility in Water	Negligible	
Volatiles by Wt. (%):	N/A	Partition coefficient: n-octanol/water	N/A	
Flammability (solid, gas)	N/A	Auto-ignition temperature	N/A	
<b>Evaporation Rate</b>	N/A	Decomposition temperature	N/A	
Viscosity	N/A			



### Section 10: Stability and Reactivity

Reactivity	No data available.
Chemical Stability	Stable under recommended storage conditions.
Descibility of Hogordous Desctions	Mixture reacts slowly with water resulting in evolution of
Possibility of Hazardous Reactions	hydrogen
Hazardous PolymerizationHazardous polymerization does not occur.	
Conditions to Avoid	Incompatible products.
Incompatible Materials	Acids. Oxidizing agents.
Hazardous Decomposition Products	None known based on information supplied.

## Section 11 - Toxicological Information

Information on Toxicological Effects					
Acute Toxicity		6.7% of the mixture consists of ingredient(s) of unknown toxicity.			
LD50 Oral		5575 mg/kg; Acute toxicity estimate			
Information on The Likely Routes of Exposure					
ΙΠΟΔΕΓΙΛΝ		route of exposure. Ingestion may cause rritation, nausea, vomiting and diarrhea.			
<b>Potential Chronic Health Effects</b>					
Carcinogenicity Contains no ingrease carcinogen.		redients above reportable quantities listed as a			
Mutagenicity	No information available.				
Teratogenicity	No information available.				
Developmental Effects	No information available.				
Fertility Effects	No information available.				

### Section 12 - Ecological Information

Chemical Name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Zinc (powder) 7440-66-6	EC50 72 h: 0.09 - 0.125 mg/L static (Pseudokirchneriella subcapitata) EC50 96 h: 0.11 - 0.271 mg/L static (Pseudokirchneriella subcapitata)	LC50 96 h: 0.211-0.269 mg/L semi- static (Pimephales promelas) LC50 96 h: 2.16-3.05 mg/L flow- through (Pimephales promelas) LC50 96 h: = 0.24 mg/L flow-through (Oncorhynchus mykiss) LC50 96 h: = 0.41 mg/L static (Oncorhynchus mykiss) LC50 96 h: = 0.45 mg/L semi-static (Cyprinus carpio) LC50 96 h: = 0.59 mg/L semi-static (Oncorhynchus mykiss)	EC50 48 h: 0.139 - 0.908 mg/L Static (Daphnia magna)



		LC50 96 h: = 2.66 mg/L static (Pimephales promelas) LC50 96 h: = 3.5 mg/L static (Lepomis macrochirus) LC50 96 h: = 30 mg/L (Cyprinus carpio) LC50 96 h: = 7.8 mg/L static (Cyprinus carpio)	
Talc		LC50 96 h: > 100 g/L semi-static	
14807-96-6		(Brachydanio rerio)	
Persistence and	l Degradability	No information available.	
Bioaccumulativ	e Potential	No information available.	
Other Adverse	Effects	No information available.	

## Section 13 - Disposal Considerations

Waste Disposal Methods	Dispose of in accordance with federal, state, and local regulations
Contaminated Packaging	Do not re-use empty containers.

## Section 14 - Transport Information

<b>DOT</b> Not regulated		
TDG		
UN-Number	UN3082	
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.	
Hazard Class	9	
Packing Group	III	
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc	
	(powder)), 9, III	
MEX		
UN-Number	UN3082	
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.	
Hazard Class	9	
Packing Group	III	
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc	
	(powder)), 9, III	
ICAO		
UN-Number	UN3082	
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.	
Hazard Class	9	
Packing Group	III	
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III	



ΙΑΤΑ				
UN-Number	UN3082			
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.			
Hazard Class	9			
Packing Group	5 III			
Description				
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc (powder)), 9, III			
IMDG/IMP	(powder)), 9, m			
UN-Number	UN3082			
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.			
Hazard Class	9			
Packing Group				
EmS No.	F-A, S-F			
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc			
	(powder)), 9, III			
RID				
UN-Number	UN3082			
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.			
Hazard Class	9			
Packing Group				
Classification Code	M6			
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc			
Description	(powder)), 9, III			
ADR				
UN-Number	UN3082			
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.			
Hazard Class	9			
Packing Group	III			
Classification Code	M6			
Tunnel Restriction	(E)			
Code				
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc			
_	(powder)), 9, III			
ADR/RID Labels	0			
ADN				
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.			
Hazard Class	9			
Packing Group	III			
Classification Code	M6			
Special Provisions	274, 335, 601			
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc			
	(powder)), 9, III			



Limited Quantity	51

## Section 15 - Regulatory Information

U.C. Fodoval Degulationa								
U.S. Federal Regulations								
SARA 313				_				
Chemical Name		CAS – No		Weight %		Thres	shold Value %	
Zinc (Powder)	7	440-66-	-6		10 - 15			1.0
SARA 311/312 Hazard C	ategorie	S						
Acute Health Haza	ard			No				
Chronic Health Ha	azard			No				
Fire Hazard				No				
Sudden Release o	f Pressu	re Haza	rd	No				
Reactive Hazard				No				
Clean Water Act								
Chemical Name			Toxic Pollutants		Priority Pollutants			
Zinc (Powder)			Х		Х			
CERCLA								
Chemical Name Hazardo		rdous Substances RQs		RQ				
7ine (Devuden)			1000 Lb.		RQ 454 kg final RQ			
Zinc (Powder)					RQ 1000 lb final RQ			
<b>California Proposition 6</b>	5		This product does not contain any Proposition 65 chemicals.				on 65 chemicals.	
U.S. State Right-to-Know Regulations (X" designates that the ingredients are listed)								
Chemical Name	New J	Ŭ		ısetts	setts Pennsylva		Illinois	<b>Rhode Island</b>
Zinc (Powder)	X		Х		X			Х
Graphite	Х		Х		Х			Х
Talc	Х		Х		Х			Х
Calcium Oxide	Calcium Oxide X		Х	X		Х		
EPA Pesticide Registration Number		Not applic	able					



### Section 16 - Other Information

Last Revision Date:	07/02/2015	
Preparation Date:	07/07/2015	
Disclaimer/Statement of Liability:	The information contained herein is believed to be accurate but is	
	not warranted to be so. Data and calculations are based on	
	information furnished by the manufacturer of the product and	
	manufacturers of the components of the product. Users are	
	advised to confirm in advance of need that information is current,	
	applicable and suited to the circumstance of use. Vendor assumes	
	no responsibility for injury to vendee or third persons proximately	
	caused by the material if reasonable safety procedures are not	
	adhered to as stipulated in the data sheet. Furthermore, vendor	
	assumes no responsibility for injury caused by abnormal use of	
	this material even if reasonable safety procedures are followed.	
	Any questions regarding this product should be directed to the	
	manufacturer of the product as described in Section 1.	

Key to abbre	eviations		
ACGIH	American Conference of Governmental Industrial	TWA	Time-Weighted Averages are based on 8h/day, 40h/week
	Hygiene		exposures
NIOSH	National Institute of Occupational Safety and	STEL	Short Term Exposure Limits are based on 15-minute
	Health		exposures
OSHA	Occupational Safety and Health Administration	STEV	Short Term Exposure Value
MSHA	Mine Safety and Health Administration	TWAEV	Time Weighted Average Exposure Values
MARPOL	International Convention for the Prevention of	IBC Code	International Bulk Chemical Code
73/78	Pollution from Ships,		
	1973, as modified by the Protocol of 1978		
	relating thereto, as amended.		
IMDG	International	CEPA	Canadian Environmental Protection Act
	Maritime Dangerous Goods		
WHMIS	Workplace Hazardous Materials Information	CERCLA	Comprehensive Environmental Response, Compensation,
	System		and Liability Act
SARA	Superfund Amendments and Reauthorization Act	TPQs	Threshold Planning Quantities
EPCRA RQ	Emergency Planning & Community Right-to-	PBT	Persistent Bioaccumulative Toxic
	Know Act Reportable Quantities		
N/A	Not Applicable	NDA	Not Data Available